









Goya An elegant and functional range



The Goya range stands out for the elegance of its shape and its wonderful finishing, that allows its integration in any environment. As well as optimised capacity and volume, this range features a double security door, vandal-proof lock and a fluid-proof keyboard. Thanks to an external key access, changing the product decals has never been that easy. Available in different configurations depending on the number of selections, capacity and channels, this range is highly configurable in order to better fit your business.



ENERGY-SAVING LED LIGHTING

BANKNOTE AND COIN MECHANISM

PAYMENT

SYSTEMS

STRUCTURE

channel.

FEATURES

• 1.5mm-thick steel-plate cabinet treated against rust.

· Vertical column loading system to speed up loading.

Graphic display with animations, texts and designs,

· Independent detection of sold out products by

Continuous performance self-testing.

- Internal vandal-proof lock and three anchor points.
- · High capacity cash box with lock and optional autolocking during extraction.
- · Energy-saving LEDs lighting in the front panel, selection buttons and delivery drawer.
- · Fluid-proof selection keypad.

updatable through USB.

· Remote age control.

- Independent locks to access the cabinet or the front image and the product decals.
- · Built-in casters for ease of displacing.

CREDIT MANAGEMENT

- · Innovative Jofemar coin mechanism with five return tubes for five different coin values.
- Anti-fraud coin validator with parameter analysis, such as diameter, metal composition and magnetic

property. Features anti-thread system.

· Jofemar banknote reader (optional).

PROGRAMMING

- · General onsite programming of all the machine functions.
- Compatible with the EasyFlash programming terminal, with the possibility of cloning machines, creating databases and delivering stock control and accounting.
- Telemetry programming option.
- Dynamic programming that allows grouping up keys and channels in different setups.

- Telemetry by GSM or GPRS modem using the Jofemar Vending Track software. Price and working mode remote programming; alerts when the product is sold
- Multiple channels to vend more products.
- · Key delivery kit through a variable code without opening the machine.











GOYA MODEL	10	12	12/16	16	16/22	22	22/31	32	32/41	66/66	IUX 16	LUX 16/22
Selections	16	24	24	32	32	48	48	48	48	60	32	32
Complete/split channels	10	12	8/8	16	10/12	22	13/18	32	23/18	66	16	10/12
Capacity (packages)	306	470	454	626	602	860	824	1,210	1,174	1,592	626	602
Size (mm)	1,600 x 365 x 405	1,600 x 4	78 x 415	1,600 x	600 x 425	1,600 x	785 x 435	1,600 x	785 x 585	1,950 x 860 x 610	1,600	600 x 425
Weight (kg)	76	97	101	113	120	138	157	173	189	242	113	120
Estimated energy	30W	30W	40W	40W	40W	40W	40W	40W	40W	40W	40W	40W
consumption												
CAPACITY DIAGRAM												
GOYA 10 Top view with channel numbering	3/10	6 7	8	Тор	OYA 12 view windering	th chan		1 5/12	6 7	U U U U 8 9 10 11	12	
Individual capacity per channel 38 17/17	17 17 40 40	40 40 otal cap	acity	capa	vidual acity channel	38 38 38 17 17 17 17 17 17 17 17 17 17 17 17 17	38 38	38 –	40 40	40 40 40 40	40 GC	al capacity DYA 12: 470 al capacity YA 12/16: 454
GOYA 16 • 16/22 • L Top view with channel numbering	UX	2/13/17	4/ 5 18 / 19 /	6/	8		0 11 1	2 13	14 15	16		
Individual capacity per channel	38	38 38	38 38 3	7 20 7 21 38 38 7 17 17 17	38 - 40 17 40		40 40 4	0 40		40	GOYA Total	capacity 16: 626 capacity 16/22: 602
GOYA 22 • 22/31 Top view with channel numbering		_	_			11 12	13 14	15 16	I II 5	19 20 21 2.		
Individual capacity per channel	38 17 17 1	7 17	38 38 17 17 17 17	8/29/9/3 38/38 17/17/17	38	40 40		40 40			GOYA	capacity , 22: 860 capacity , 22/31: 824
GOYA 32 • 32/41 Top view with channel numbering						21 22	23 24	25 26	5 27 28	29 30 31 3.	2	
Individual capacity per channel	38 38 38 3 35 35 35 3 38 17 17 1 17 17 1	8 38 38 35 35 7 17 7 17	337 7/38 116 17 338 38 335 35 17 17 17 17 17 17		38 38 17 17 17 17	40 40 40					GOYA	capacity .32: 1,210 capacity .32/41: 1,174



Technological Innovation

Reliability 100% Jofemar

Technology

Josemar

Ctra. Marcilla km 2 31350 PERALTA. Navarra SPAIN Tel. +34 948 75 12 12 Fax +34 948 75 04 20 www.jofemarvending.com



