

## **INDEX**

- 1. About us
- 2. Vending Machines
  - Hot beverages
  - Cold drinks
  - Snacks&Foods
  - Hot and frozen meals
- 3. Dispensing Machines
  - CASIA
- 4. Smartkiosk
- 5. Premium solutions
- 6. Special solutions
- 7. Customized projects
- 8. Payment systems



#### **About us**




An established family-owned business group based in Navarra and with a strong industrial base. Founded in 1971 by D. Félix Guindulain Vidondo.









## TECHNOLOGY, THE CORNERSTONE OF OUR SUCCESS

- Innovation in products and services.
- Technologically advanced products and solutions.
- Constant investment in R&D.

#### TALENT MANAGEMENT AND DEVELOPMENT

- Highly qualified and motivated professionals.
- A dedicated, flexible and creative team.
- Driven by ethics and CSR.

#### OUR MARKETPLACE IS THE WORLD

- Diversifying and exploring new business opportunities.
- Worldwide presence and expansion to new markets. Growing with our clients.

#### **Business lines**



**AUTOMATED SALES AND DISPENSING** 



**ELECTRIC MOBILITY** 





**ENERGY** 



**MEDICAL DEVICES** 



**SERVICES** 









## **Jofemar Vending**

Worldwide leader in vending solutions and payment systems

At Jofemar our strongest comittment is innovation in products and services so we can offer one of the widest ranges in the market



Comprehensive solutions for:

- Tobacco
- Vending
- Public Vending
- «Premium» Vending
- Contract catering.
- Retail solutions
- Automated dispensing
- Telemetry and Back Office software
- Customized solutions





HOT BEVERAGES





## Hot beverages



Coffeemar



#### A break full of flavour



#### **COFFEEMAR G250**

#### **TECHNICAL FEATURES**

SERVICES: 250

WHIPPERS: 3

CANISTERS: 5 + Grano

SELECTIONS + PRESELECTIONS: 15

\_\_\_\_

SIZE:

1.500x500x561 mm

FINISH: Steel

IMAGE: Yes



## COFFEEMAR G546

#### **TECHNICAL FEATURES**

SERVICES: 500

WHIPPERS: 4

CANISTERS: 6 + Grano

SELECTIONS + PRESELECTIONS:

20+1

SIZE:

1.825x600x561 mm

FINISH: Steel

IMAGE: Yes



BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS



ALUMINIUM BOILER



MOTORISED WATER
DISTRIBUTOR
WITHOUT
ELECTROVALVES



EASY CLEANING AND MAINTENANCE OF REMOVABLE ELEMENTS



PRESSURE VALVE IN THE BREWING UNIT

## Hot beverages



Coffeemar B L U E T E C



A coffee... with style



#### COFFEEMAR BLUETEC G335

#### **TECHNICAL FEATURES**

SERVICES: 300

WHIPPERS: 3

CANISTERS: 5 + Grano

SELECTIONS + PRESELECTIONS: 18+3

SIZE:

1.500x500x575 mm

FINISH: Glass and stainless steel

Touch keyboard: Yes



#### COFFEEMAR BLUETEC G546

#### **TECHNICAL FEATURES**

SERVICES: 500

WHIPPERS: 4

CANISTERS: 6 + Grano

SELECTIONS + PRESELECTIONS:

18+3

SIZE:

1.825x600x575 mm

FINISH: Glass and stainless steel

Image and optional touch keyboard



BANKNOTE AND COIN **MECHANISM PAYMENT** SYSTEMS



ALUMINIUM **BOILER** 



MOTORISED WATER DISTRIBUTOR WITHOUT **ELECTROVALVES** 



**PRESSURE** VALVE IN THE **BREWING UNIT** 



KEYBOARD



SMUDGE-PROOF

## Hot beverages



Table-top G23







COFFEEMAR BLUETEC G23

Dispensing version

TELIMAN BLUETEC C

Vending version







VOLUME











PRESSURE VALVE IN THE BREWING UNIT



MOTORISED WATER
DISTRIBUTOR
WITHOUT
ELECTROVALVES



ALUMINIUM BOILER



TOUCH KEYBOARD





## Sale and dispensing solutions





















BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS





	ARTIC AGUA	ARTIC 272	ARTIC 600	
Type of product	1.5L Bottles	0.25-0.5L cans and bottles	0.25-0.5L cans and bottles	
Capacity	66 bottles	272 cans	600 cans	
Selections	2	7	8	
Advertisement panel	1,688 x 620 mm	1,688 x 560 mm	1,699 x 753,5 mm	
Number of channels	2 channels for 1.5L bottles	Up to 8 can channels	Up to 10	
Size	1,780 x 780 x 530 mm	1,780 x 725 x 530 mm	1,830 x 1,780 x 856 mm	
Weight	220 kg	210 kg	340 kg	
Energy supply	230 V, 50 Hz*			
Coolant	CFC-free R-134a			
Vending protocols	MDB or Executive			

<sup>\*</sup>Check for other voltages



## Sale and dispensing solutions













VISION COMBOPLUS

VISION MULTISELLER

VISION SNACKPLUS

VISION EASYCOMBO







OPTIMISED BANKNOTE
CAPACITY AND AND COIN
VOLUME MECHANISM
PAYMENT
SYSTEMS



EASYFLEX DELIVERY SYSTEM



HEALTH TIMER: EXPIRATION PROGRAMMING BY TEMPERATURE



PRODUCT
DELIVERY DETECTION
PHOTOCELLS

## Sale and dispensing solutions











**VISION E-S** 

**VISION E-S PLUS** 

MÓDULO DE PAGO + E-S PLUS





**ENERGY-SAVING** LED LIGHTING



**OPTIMISED** CAPACITY AND VOLUME



BANKNOTE AND COIN MECHANISM **PAYMENT** SYSTEMS



**EASYFLEX DELIVERY** SYSTEM



**HEALTH TIMER: EXPIRATION** PROGRAMMING BY **TEMPERATURE** 



**PRODUCT** DELIVERY DETECTION **PHOTOCELLS** 



**ASCENSOR** 

### Soluciones de venta y dispensación



Vision Bluetec range











VISION COMBOPLUS

VISION MULTISELLER

VISION SNACKPLUS

**VISION EASYCOMBO** 



VANDAL-PROOF LOCK



OPTIMISED ENERGY-SAVING
CAPACITY AND LED LIGHTING
VOLUME



BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS



PRODUCT EXPIRATION
DELIVERY DETECTION PROGRAMMING
PHOTOCELLS



ON HI MING E PRO



HEALTH TIMER: EXPIRATION PROGRAMMING BY TEMPERATURE EASYFLEX DELIVERY SYSTEM

## Soluciones de venta y dispensación



Vision Bluetec range









**VISION E-S** 

**VISION E-S PLUS** 

MÓDULO DE PAGO + E-S PLUS



VANDAL-PROOF LOCK



CAPACITY AND VOLUME



LED LIGHTING

BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS



DELIVERY DETECTION PROGRAMMING PHOTOCELLS





EXPIRATION PROGRAMMING BY **TEMPERATURE** 



DELIVERY SYSTEM





#### Hot products



Gourmet solution



**GOURMET** 





Ready, steady, eat!



VANDAL-PROOF LOCK



HEALTH TIMER: EXPIRATION PROGRAMMING BY TEMPERATURE









ASCENSOR

BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS

Temperature	Under 5°C
Maximum capacity	11 trays of
	up to 5 channels
Elevator	Yes
Selections	Numeric keyboard
Illuminated	1,699 x 720 mm
advertisement	
Size	1,830 x 950 x 920 mm
Weight	450 kg depending on setup
Energy supply	230 V, 50 Hz*
Cooling unit	CFC-free R-134a
Maximum power	2,800 watts only
used	during baking.

<sup>\*</sup>Check for other voltages

#### Frozen products







# iceplus food

## Food prepared on the fly







OPTIMISED CAPACITY AND VOLUME



**EXPIRATION** PROGRAMMING BY **TEMPERATURE** 



**PRODUCT DELIVERY DETECTION** 



BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS



**ASCENSOR** 

	ICEPLUS FOOD
Temperature	-21 ℃
Number of trays/ motors	10 trays/3 motors
Elevator	Yes
Selections	Numeric keyboard
Back-lit advertisement panel	1,699 x 720 mm
Size	1,830 x 1,037 x 951 mm
Weight	425 kg
Energy supply	230 V, 50 Hz*
Cooling unit	CFC-free R-404a
Maximum power used	1,800 watts (only during defrost cycles)
Microwave module	1,820 x 640 x 510 mm
*CL LC .L L	

<sup>\*</sup>Check for other voltages.

#### Frozen products





# iceplus food

Food prepared on the fly

#### Options:

Microwave Module





#### What is Casia?

Josemar VENDING

A smart solution to automate the dispensing and control of industrial and other consumable supplies.

- Modular solutions that can be adapted to the product and packaging requirements of customers.
- Automatic systems to return previously purchased products.
- Cutting edge technology to offer genuine smart stores.
- Innovative stock control system that ensures maximum reliability in dispensing data capturing.
   Possibility of automatic loading of data on the customer system and off-catalogue reservation.
- A speedy and intuitive system to select products by means of touchscreens.



#### **General features**





- Optimisation of all the available space. Higher number of selections.
- Versatility thanks to the flexible tray and channel configuration.

- Interactivity. Possibility of incorporating 10.1 and 17- inch touchscreens
- Possibility of incorporating lifts to provide smooth product delivery, as well as cooling units for products with preservation requirements.
- Security. Vandal-proof locks and payment systems endowed with state-of-the art advances in anti-fraud systems.
- Optionally, fitted to integrate customer loyalty cards.
- Automated management through J-SUITE telemetry platform.
   Optimal traceability of products and stocks.
- Data capture reliability.



#### Casia Basic



#### **TAOS BASIC**

- Control unit capable of managing up to four Casia dispensing units.
- Includes a display and user IDs reader.
- Fitted to install J-LINK communications system and J-SUITE telemetry system. Online operation, with real-time control of users and dispensations.
- Dimensions and weights: 1834.5x248x936 mm / 80Kg.

#### CASIA DISPENSING UNITS

- The best tool to increase the number of channels and storage capacity.
- Versions:
  - Casia SG: room temperature.
  - Casia SCG: incorporates refrigeration group.
  - Casia SGE: without cold and with elevator.
  - Casia SCGE: Incorporates refrigeration and lift.
- Anti-vandalism security lock with six anchoring points.
- Optionally it can equip ticket printer.
- It supports the installation of different card readers.



#### Casia Slim



#### **TAOS SLIM**

- Control unit capable of managing up to four Casia dispensing units.
- Includes a display and user IDs reader.
- Possibility of installing communications system
   J-LINK and J-SUITE telemetry system.

#### **CASIA DISPENSING UNITS**

- The best tool to increase the number of channels and storage capacity.
- Versions:
  - Casia SG.Casia SCG.Casia SGE.Casia SCGE.
- Anti-vandalism security lock with six anchoring points.
- Optionally it can equip ticket printer.
- It supports the installation of different card readers.



#### Casia Touch 10



- Equipped with a module featuring a 10" interactive screen that can be connected to up to 4 Casia dispensing units.
  - · Casia SG. · Casia SCG.
  - · Casia SGE. · Casia SCGE.
- Interactive navigation: Product selection based on categories and support of multiple languages.
- Multi-product dispensing and remote management of stocks.
- Total traceability in real time and maximum security regarding supply.
- Visualization of detailed information of each product before the selection.



PANTALLA TÁCTIL



SOFTWARE DE GESTIÓN ADAPTABLE Y PERSONALIZARI E



POSIBILIDAD DE ASCENSOR



Dimensiones y pesos: 1834,5x248x939 mm / 85Kg.

#### **Casia Touch**



- Equipped with a central module fitted with a 17" interactive touchscreen which can manage up to 4 dispensers.
- Greater interactivity and improved customer experience as it optimises product selection and the remote management of stocks.
- Complete traceability in real time and maximum supply security.
- Fitted to display detailed information on each product, as well as to manage the reservation of the products not suited for delivery through dispensing machines.









A smart solution to automate dispensing and control industrial supplies and other consumables.

## Navigation-friendly...







Better brand exposure!





#### **Smartkiosk**










Up to 4



Up to 4







REMOTE CLOUD CONNECTION



ADAPTABLE AND CUSTOMISABLE MANAGEMENT SOFTWARE



DEPENDING ON NEEDS



#### **APS Premium Shop**

## Josemar VENDING

## Exclusive products on the go

















POSSIBILITY OF CREDIT CARD PAYMENT

VIDEOS & IMAGES

- An innovative concept for automated dispensing of highend products.
- It features the most state-of-the-art technology and the most luxurious and
- elegant styling on the market.
- With a central selection, payment and product collection module, a 27" interactive touchscreen and two sidestorage modules. It can be configured with 46" side-screens to display audiovisual content and advertising.

#### MSK + E-S Plus



#### State-of-the-art technology for traditional vending



LOCK



CONNECTION





CAN BE CONFIGURED DEPENDING ON NEEDS

LED LIGHTING



CAPACITY AND

VOLUME

OPTIMISED TOUCHSCREEN







DETECTION CUSTOMISABLE PHOTOCELLS MANAGEMENT

DELIVERY



MSK		
Screen inches	27	
Size	1,834 x 550 x 474 mm	
Coin payment	Yes	
Banknote reader option	Yes	
Bank card option	Yes	
Printer option	Yes	
Banknote return option	Dispenser	
Optional barcode reader	Yes	

VISION E-S PLUS		
Maximum capacity	8 trays of up to 10 channels	
Elevator	Yes	
Size (mm)	1,830 x 803 x 970	
Weight	325 kg	
Energy supply	230 V, 50 Hz*	
Cooling unit	Optional	

<sup>\*</sup>Check for other voltages

### Payment module + E-S Plus

# Jofemar

#### Payment module









CONFIGURED DEPENDING ON NEEDS









TOUCHSCREEN





ADAPTABLE AND PRODUCT DELIVERY DETECTION PHOTOCELLS



DELIVERY

	PAYMENT MODULE + E-S PLUS
Temperature	
Number of trays	8 (in machine)
Number of motors	10 (in machine)
Elevator	
Size (mm)	1,830 x 803 x 935*
Weight	
Energy supply	230 V, 50 Hz**
Cooling unit	Optional (in machine)

<sup>\*970</sup> mm in Snack Plus and EasyCombo, including payment system module. \*\*Check for other voltages.



#### Retail

Increase business performance



## SAFE RETAIL

Select, validate... then ¡collect!



#### **PPEs**



#### The perfect stocks control



39


#### **FEATURES:**

Allows automatic return of products by the user.

Reliable data collection of every product dispensed or returned.

Automatic loading of data into the client system.





CUSTOMIZED PROJECTS





#### Nailmatic









Vegui





Herbalife





Sephora





#### **Payment systems**

#### Coin mechanisms





**J-2000** 

# Optimal precision in coin guidance

- The Jofemar J2000 coin mechanism is equipped with all the necessary features so that the payment and change return process is quick and with complete security.
- Advantages for operators:
  - Optimal credit management and accumulated cash reduction thanks to the five return coin values.









#### **Payment systems**

#### Banknote readers











## **BT11**

# Banknote reading accuracy

- BTII banknote reader features advanced Jofemar sensor technology and security that deeply scans the complete banknote with optical, magnetic and IR sensors with complete accuracy.
- Banknotes can be inserted in any position and it facilitates access for cleaning.



### Payment systems

Users identification and credit management



# **J130ck**

Convenience and reliability in card/key reading













www.jofemar.com